



Authors

Dr. James D. Beaton
Consultant, Soil Fertility and Fertilizer Use
#13-3888 Pinnacle Way
Kelowna, B.C. V1W 3Z8, Canada
Phone: 250-762-3137
Fax: 250-762-9978
Email: Jim_Beaton@bc.sympatico.ca

Dr. Donald J. Eckert
School of Natural Resources
Ohio State University
Columbus, Ohio 43210
Phone: 614-292-9048
Email: eckert.1@osu.edu

Dr. Paul Fixen
Potash & Phosphate Institute;
VP North American Programs
772 - 22nd Avenue South
Brookings, SD 57006
Phone: 605-692-6280
Fax: 605-697-7149
Email: pfixen@ppi-far.org

Dr. Sam Kincheloe
815 Trent Lane
Knoxville, TN 37922-4199
Phone: 868-777-3940
Email: mailto:skinche@chartertn.net

Dr. John J. Mortvedt
U.S. Borax Inc.
6420 Compton Road
Fort Collins, Colorado 80525
Phone: 970-491-5840
Fax: 970-491-0564

Dr. T. Scott Murrell
Potash & Phosphate Institute
Northcentral Director
14030 Norway St. NW
Andover, MN 55304
Phone: 612-755-3444
Fax: 612-755-1119
Email: smurrell@ppi-far.org

Dr. Harold F. Reetz Jr.
Potash & Phosphate Institute;
Midwest Director
111 East Washington Street
Monticello, IL 61856
Phone: 217-762-2074
Fax: 217-762-8655
Email: hreetz@ppi-far.org

William I. Segars, PhD
Extension Water Quality Coordinator
University of Georgia
3117 Plant Sciences Building
Athens, Georgia 30602
Phone: 706-542-9072
Fax 706-542-7133
Email: wsegars@arches.uga.edu

Dr. Cliff Snyder
Potash & Phosphate Institute
Midsouth Director
P.O. Drawer 2440
Conway, AR 72032
Phone: 501-336-8110
Fax: 501-329-2318
Email: csnyder@ppi-far.org

Dr. W. K. Griffith
865 Seneca Road
Great Falls, VA 22066
Phone: 703-450-8601
E-mail: griffdorbil@cs.com

Dr. W. R. Thompson, Jr.
621 Sherwood Road
Starkville, MS 39759-4038
Phone: 662-323-2587
E-mail: bobt@misschem.com



Links to other sections of the EFFICIENT FERTILIZER USE MANUAL

[History](#) • [MEY](#) • [Soil](#) • [pH](#) • [Nitrogen](#) • [Phosphorus](#) • [Potassium](#) • [Secondary](#) • [Micronutrients](#) • [Fluid-Dry](#) • [Sampling](#) • [Testing](#) • [Site-Specific](#) • [Tillage](#) • [Environment](#) • [Appendices](#) • [Authors](#)